

From: Richard Fetzer/R3/USEPA/US
Sent: 7/10/2012 2:06:44 PM

To: "David Bofinger" <dbofinger@kemron.com>
CC: "James Adams" <jadams@kemron.com>; Joanna Mcdonald; Kelley Chase
Subject: RE: Dimock Water Funding

Dave. Thanks for staying on top of the funding situation.

Demobe Mark this Friday.

Put the site files into the Kemron trailer for this weekend. I will modify that, if necessary, on Monday 7/16. I will be onsite that day.

Thanks again.

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: "David Bofinger" <dbofinger@kemron.com>
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: Kelley Chase/R3/USEPA/US@EPA, "James Adams" <jadams@kemron.com>, Joanna Mcdonald/R3/USEPA/US@EPA
Date: 07/10/2012 12:10 PM
Subject: RE: Dimock Water Funding

Rich,

Ex. 4 - CBI

- 1- The files could be locked up inside the Kemron trailer inside the building and provide you with a key for access to it.
- 2- The files could be locked up in the waterproof tool box on Paul's truck
- 3- The files could be taken to the hotel and stored in our rooms

Ex. 4 - CBI

Please let me know if you agree with any of these suggestions.

Thanks

Dave Bofinger

Response Manager
Kemron Environmental Services Inc
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
e mail- dbofinger@Kemron.com
Cell phone- 404 725 3257
Phone-404 636 0928 Fax 404 636 7162
Visit us at www.kemron.com

From: Richard Fetzer [mailto:Fetzer.Richard@epamail.epa.gov]
Sent: Thursday, July 05, 2012 2:33 PM
To: David Bofinger
Cc: Kelley Chase; James Adams; mcdonald.joanna@epa.gov
Subject: Re: Dimock Water Funding

thanks Dave. I just took a look at the dates for our schedule, based upon this week's events. Although nothing has been decided, it looks like we will be notifying the residents on 7/23 and then giving them 10 business days to let us know how they want us to leave their systems. That puts us to the week of 8/6. Ex. 4 - CBI
Let me know if that causes a problem.

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: "David Bofinger" <dbofinger@kemron.com>
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: Kelley Chase/R3/USEPA/US@EPA, <padams@kemron.com>
Date: 07/05/2012 02:14 PM
Subject: Dimock Water Funding

Rich,

I requested for Paul to do projections for the site with our current funding.

Ex. 4 - CBI

Ex. 4 - CBI

Ex. 4 - CBI I know that currently you plan to be completed by that date, however if things change this gives you a date with current operations that could be funded with the current ceiling.

Dave Bofinger
Response Manager
Kemron Environmental Services Inc
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
e mail- dbofinger@Kemron.com
Cell phone- 404 725 3257
Phone-404 636 0928 Fax 404 636 7162
Visit us at www.kemron.com

Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.

Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.
